Author Index

Ashworth, J. R. *see* Mongkoltip, P.
Banno, S., *see* Hosotani, H.
Barnicoat, A. C., *see* Cartwright, I.
Bell, T. H. Foliation development and refraction in metamorphic rocks: reactivation of earlier foliations and decrenulation due to shifting patterns of deformation partitioning, 421.
Bell, T. H., Fleming, P. D. & Rubenach, M. J. Porphyroblast nucleation, growth and dissolution in regional metamorphic rocks as a function of deformation partitioning during foliation development, 37.
Bevins, R. E., *see* Robinson, D.
Bowman, J. R. & Ghent, E. D. Oxygen and hydrogen isotope study of minerals from metapelitic rocks, staurolite to sillimanite zones, Mica Creek, British Columbia, 131.
Cartwright, I. & Barnicoat, A. C. The generation of quartz-normative melts and corundum-bearing restites by crustal anatexis: petrogenetic modelling based on an example from the Lewsian of North–West Scotland, 79.
Casquet, C. C–O–H–N fluids in quartz segregations from a major ductile shear zone: the Berzosa fault, Spanish Central System, 117.
Compagnoni, R., *see* Sandrone, R.
Field, D., *see* Lamb, R. C.
Fleming, P. D., *see* Bell, T. H.
Fowler, M. B. Large-ion lithophile element characteristics of an amphibolite facies to granulite facies transition at Gruinard Bay, North-West Scotland, 345.
Franceschelli, M., Leoni, L., Memmi, I. & Puxeddu, M. Regional distribution of Al-silicates and metamorphic zonation in the low-grade Verrucano metasediments from the Northern Appennines, Italy, 309.
Ghent, E. D., *see* Bowman, J. R.
Gibson, R. G. & Speer, J. A. Contact aureoles as constraints on regional *P–T* trajectories: an example from the Northern Alabama Piedmont, USA, 285.
Hosotani, H. & Banno, S. Amphibole composition as an indicator of subtle grade variation in epidate–glaucophane schists, 23.
Jamieson, R. A. *P–T* paths from high temperature shear zones beneath ophiolites, 3.
Kienast, J. R., *see* Vernié, P.
Kwak, T. A. P. Fluid inclusions in skarns (carbonate replacement deposits), 363.
Lamb, R. C., Smalley, P. C. & Field, D. *P–T* conditions for the Arendal granulite, southern Norway: implications for the roles of *P*, *T* and CO_2 in deep crustal LILE-depletion, 143.
Leardi, L., *see* Sandrone, R.
Leoni, L., *see* Franceschelli, M.
Lieberman, J. E. & Rice, J. H. Petrology of marble and peridotite in Seiad ultramafic complex, northern California, USA, 179.
Loomis, T. P. Metamorphism of metapelites: calculations of equilibrium assemblages and numerical simulations of the crystallization of garnet, 201.
Memmi, I., *see* Franceschelli, M.
Mével, C., *see* Vernié, P.
Mongkoltip, P. & Ashworth, J. R. Amphibolitization of metagabbros in the Scottish Highlands, 261.
Nishiyama, T., Uehara, S. & Shinno, I. Chromian omphacite from low-grade metamorphic rocks, Nishisonogi, Kyushu, Japan, 69.
Petrakakis, K. Metamorphism of high-grade gneisses from the Moldanubian zone, Austria, with particular reference to the garnets, 323.
Puxeddu, M., *see* Franceschelli, M.
Rice, J. M., *see* Lieberman, J. E.
Robin, P.-Y. F., *see* Sawyer, E. W.
Robinson, D. & Bevins, R. E. Incipient metamorphism in the Lower Palaeozoic marginal basin of Wales, 101.
Rossetti, P., *see* Sandrone, R.
Rubenach, M. J., *see* Bell, T. H.
Sakakibara, M., A newly discovered high-pressure terrane in eastern Hokkaido, Japan, 401.
Sandrone, R., Leardi, L., Rosetti, P. & Compagnoni, R. *P–T* conditions for the eclogitic re-equilibration of the metaophiolites from Val d'Ala di Lanzo (internal Piemontese zone, Western Alps), 161.
Sawyer, E. W. & Robin, P.–Y. F. The subsolidus segregation of layer-parallel quartz-feldspar veins in greenschist to upper amphibolite facies metasediments, 237.
Shinno, I., *see* Nishiyama, T.
Smalley, P. C., *see* Lamb, R. C.
Speer, J. A., *see* Gibson, R. G.
Takayama, M. Mode of occurrence and significance of jadeite in the Kamuikotan metamorphic rocks, Hokkaido, Japan, 445.
Toriumi, M. & Noda, H. The origin of strain patterns resulting from contemporaneous deformation and metamorphism in the Sambagawa metamorphic belt, 409.
Uehara, S., *see* Nishiyama, T.
Vernié, P., Kienast, J. R. & Mével, C. The occurrence of deerite in highly oxidizing conditions within the 'schistes lustrés' of eastern Corsica, 385.

Subject Index

actinolite, 26
alkali-amphibole, 23
amphibolitization, 261
anatexis, 79
Arendal, Southern Norway, 143

blueshists, 23
blueschist facies, 385

Chromian omphacite, 69
CO_2 flushing, 143
compositional zoning, 201
constant *P–T*, 143
contact metamorphism, 285
Corsica, 385
cummingtonite, 261
corundrum-bearing restites, 79

decrenulation, 421
deerite, 385
deformation partitioning, 37
disequilibrium, 261

elemental depletion, 345
epidote-glaucophane schists, 23

Fe–Mg–Ca garnet zoning, 285
fluids, 345
fluid inclusions, 117, 363
fluid infiltration, 37
foliation development, 421
foliation refraction, 421

garnet, 207
garnet-biotite thermometry, 131
garnet zoning, 323
garnet zoning profiles, 201
geothermobarometry, 161, 285, 323
granulite facies, 143

high-pressure intermediate type metamorphism, 401
high-pressure metamorphism, 161, 409
horneblende, 261
horneblende-granulite facies, 345
hydrothermal system, 363

Iberian Hercynian belt, 117
illite crystallinity, 101
incipient metamorphism, 101
inclusion trails, 421

jadeite + quartz-bearing assemblages, 445

kaolinite, 309
Kamuikotan metamorphic rocks, Japan, 445
kyanite, 309

lawsonite, 401
Lewsian, 79
Lewsian Complex, 345
LILE-depletion, 143
LILEs Scotland, 345
low-grade metamorphism, 69

marble, 179
metagabbro, 261
metamorphic grade, 23
metamorphic *P–T* paths, 3
metamorphic zonation, 309
metamorphism, 79
metaophiolite, 161
metapelites, 131
metasomatism, 69
Mica Creek, British Columbia, 131
migmatite, 237
Moldanubian zone, Austria, 323
muscovite composition, 309

Northern Apennines, 309
Nikoro greenstone complex, 401

ophiolite emplacement, 3
ore genesis, 363
ore minerals, 363
oxygen fugacity, 385
oxygen isotope thermometry, 131

Palaeo-Okhotsk Land, 401
Paratectonic Caledonides, 101
pelite, 201
peridotite, 179
petrogenetic modelling, 79
pore fluid composition, 179
porphyroblast growth, 37, 421
prograde metamorphism, 201

P–T conditions, 117, 143, 179, 309
P–T trajectories, 285
pyrophiyllite, 309

quartz-feldspar veins, 237

Rattlesnake Creek terrane, northern California, 179
reactivation of foliation, 421
retrograde isotopic exchange, 131

Sanbagawa (Sambagaua) metamorphic belt, Japan, 23, 409
Scotland, 79

Seiad ultramafic complex, 179
serpentinite melange, 69
shear zones, 117
shear zone metamorphism, 3
skarn, 363
skarn genesis, 363
sodic pyroxene, 401
solution transfer, 37
southern Appalachians, 285
Spain, 117
spiralling garnet porphyroblasts, 37
strain ellipsoid, 409
subsolidus segregation, 237
Superior Province Canadian Shield, 237
synmetamorphic deformation, 409

tectonic segregation, 237
tectonic inclusion, 445

uplift history, 323
ureyite molecule, 69

Verrucano, 309

Welsh Basin, 101
Western Alps, 161